From: Nancy Jones

To: Annicella.Alan@epamail.epa.gov; Vargo.Steve@epamail.epa.gov; Martinez.Maria@epamail.epa.gov; Stephen

Ball; R6 DWH Info@epamail.epa.gov; James Michael

Subject: Fw: CTEH and BP work plans for Community, Staging area, and Perimeter air monitoring

Date: 05/21/2010 03:51 PM

Attachments: Staging Area Perimeter Air Monitoring and Sampling Plan MC 252 draft 05212010 .pdf

Community Air Sampling and Analysis Plan - May 12 2010.pdf

2200-T2-DO-PN-4002 - rev 0.pdf

At last...

Sent by EPA Wireless E-Mail Services

From: Christine Millner [cmillner@cteh.com]

Sent: 05/21/2010 03:32 PM EST

To: Nancy Jones

Cc: "joe.gallucci@bp.com" <joe.gallucci@bp.com>; "groverr1@bp.com" <groverr1@bp.com>; "david.m.killingsworth@bp.com>; "penny.goodstein@bp.com" <penny.goodstein@bp.com>; Paul Nony <pnony@cteh.com>; "devic1@bp.com" <devic1@bp.com> **Subject:** CTEH and BP work plans for Community, Staging area, and Perimeter air monitoring

Nancy,

Please find three attached work plans that we previously discussed. In addition to the staging area perimeter work plan that you requested, we have provided a copy of the community air sampling and analysis plan and BP's off shore air monitoring and sampling plan. Please review the staging area perimeter air sampling and analysis plan and provide any feedback to finalize this work plan.

Let me know if you have any questions.

Best regards,

-Christine

Christine Millner

Environmental Scientist Project Manager

Assistant Manager, Toxicology Emergency Response Program

Center for Toxicology and Environmental Health, L.L.C.

5120 North Shore Drive

North Little Rock, Arkansas 72118

Phone: (501) 801-8500 Direct: (501) 801-8575 Fax: (501) 801-8576 Cell: (501) 258-0915

www.CTEH.com

This communication may contain information that is legally privileged, confidential or exempt from disclosure. If you are not the intended recipient, please note that any dissemination, distribution or copying of this communication is strictly prohibited. Anyone who receives this communication in error should notify the sender immediately by telephone or by return email and delete it from their computer.